
CHARGING CABLE MODE 3

CHARGING CABLE FOR ELECTRIC VEHICLES






MENNEKES Mode 3 charging cables for charging electric and hybrid vehicles

Product features

- Charging cable mode 3 according to IEC 61851
- Connector according to IEC 62196-2
- Cable type H07BQ
- Charging power up to 11 kW
- Charging current 20A
- Degree of protection IP44 (with protection cap)

Technical data

Item	36210	36244	36283
Vehicle side	Type 2	Type 2	Type 1
			
Infrastructure side	Typ 2		
Total cable length	4m	7,5m	7,5m
Nominal voltage U_n	230 V AC		
Nominal frequency	50 Hz		
Rated current	20A, single phase		
Charging power	max. 4,6 kW		
Ambient temperature	-40°C up to 50°C		
Cable cross section [mm ²]	3 G 6 + 0,5		
Weight	1,5-3kg (depending on version)		

Item	36211	36245
Vehicle side	Type 2	Type 2
		
Infrastructure side	Typ 2	
Total cable length	4m	7,5m
Nominal voltage U_n	400 V AC	
Nominal frequency	50 Hz	
Rated current	20A, three-phase	
Charging power	max. 11 kW	
Ambient temperature	-40°C bis 50°C	
Cable cross section [mm ²]	3 G 6 + 0,5	
Weight	1,5-3kg (depending on version)	

MENNEKES

Elektrotechnik GmbH & Co. KG

Aloys-Mennekes-Straße 1
57399 KIRCHHUNDEM
GERMANY

Phone: + 49 2723 41-1

Fax: + 49 2723 41-214

info@MENNEKES.de

www.MENNEKES.com

www.chargeupyourday.com